

Presented by Nicholas Rosengarten, GXP™ Product Development







Significant enhancements

- GXP Xplorer v2.4.7.1 is compatible with Visual Profiler v6.3.73.0
- Users can now configure ancillary file naming conventions when cataloging MSDI files.
 - Done through modifying a configuration file
 - GXP Xplorer Platform\components\socetgxp-core-services\Config\Ls]MsdiConfig.xml
 - Regular expressions can be used to associate ancillary files
- A new property has been added to allow users to ignore metadata fields when cataloging data
 - Property is solr.catalog.exclude.metadataFields and is located in %GXP_XPLORER_DATA%\config\karaf\etc\com.baesystems.gxp.services.catalog.cfg
 - By default, the FREESA TRE has been set to be ignored as it is often used as a dumping ground for binary data which is unnecessary to catalog and causes some products not to ingest
 - solr.catalog.exclude.metadataFields = TRE_FREESA_TREDATA
 - Any metadata or TREs can be ignored by adding to this list with a comma
 - You must identify the SOLR mappings to be able to add to this list







GXP Fusion v2.4.7.1 release enhancements

- On-the-fly Data Model additions:
 - Allows the users to make additions to the data model while performing analysis in GXP Fusion
 - Built into the Entity selector in the Observation and Text Analysis widget
 - Utilizes new permissions added for Data Model editing





